



2 Door Ceramic Grill Base Cabinet




Tools

To assemble this product you will require:



**Electric
Drill**



Phillips Screwdriver



Dead-blow Hammer




Part	Qty	Part Name
A	1	Side Left Grill
B	1	Side Right Grill
C	1	Base Bottom
D	1	Grill Base Back
AL	1	Top
K	2	Door Base Left/Right
AM	1	Vertical Part

Click here to watch our
assembly video.

QR code

Invisa-lock™

This cabinet uses our advanced Invisa-lock™ connection method.



General Assembly Techniques:

1


Ensure the larger offset of the Invisa-lock™ connector is always positioned facing to the outside of the cabinet.

2

Always ensure each panel is flush otherwise this could lead to improper assembly.

3

Do not fully engage the locking system until prompted in the instructions. To fully engage the locking system, ensure all parts are aligned and flush, then use a deadblow hammer to gently tap all joining parts into a locked position.



Note:

The connector is offset on the panel. The offset must face the outside of the cabinet.

GRILL CABINET


Equipment

To assemble this product you should have:



Door & Drawer Bumpers (4pcs.)

The bumper is installed on the upper and lower interior of each door (2 per door) opposite the hinge.



Stainless Steel Leg and Installation Plate (4 Leg Assembly Kits)

Plate is installed with the plate extending over the end panel. If a cabinet required 6 legs, the center plate installs with the plate extended toward the middle of the cabinet.


Standard Stainless Steel Hinge and Plate (4 Hinges)

Plate is detachable for easy door removal.




#6 x 1 3/4" Stainless Steel Phillips Head Screw (5pcs.)

These screws are used for assembly of cabinet parts. Bottom shelf to back panel, drawer bottom to drawer side and drawer front and back.




#12 x 5/8" Stainless Steel Phillips Pan Head Screw, comes with the leg kit, pack of 24



This screw is used to install the leg installation plate to the cabinet bottom shelf.




#8 x 5/8" Stainless Steel Phillips Flat Head Screw (24pcs.)


Used for hinge installation. Only install these screws in the back slotted holes of the hinge plate until cabinets are installed level and door alignment is complete.








Unlocked







Unlocked

Locked








GRILL CABINET



Unlocked




Locked







Unlocked

Locked





GRILL CABINET




Unlocked

Locked










#12 x 5/8" Phillips flat head



24" and 27" grill base cabinets
include 4 legs.

30"-48" grill base cabinets
include 6 legs.



GRILL CABINET





First, insert screws into the oblong holes. After adjustment, secure with a screw in the round hole.

